# Primary lithium batteries LS 14250C

3.6V Primary lithium-thionyl chloride (Li-SOCl<sub>2</sub>)
High energy density

½ AA-size bobbin cell
(recommended for cool temperature environments)

Preferably for moderate temperature uses (i.e. indoor applications with occasional T excursions up to +55 °C), requesting superior voltage response and operating life.



#### **Key features**

- High and stable operating voltage
- Superior voltage response during pulsing at ambient T
- Low self-discharge rate (less than 1% after 1 year of storage at +20°C)
- Stainless steel container and end caps (low magnetic signature)
- · Hermetic glass-to-metal sealing
- Non-flammable electrolyte
- Compliant with IEC 86-4 safety standard and EN 50020 intrinsic safety standard
- Underwriters Laboratories (UL)
   Component Recognition
   (File Number MH 12609)
- Non-restricted for transport

### **Main applications**

- Utility metering
- Alarms and security devices
- Memory back-up
- Computer real-time clocks
- Tracking systems
- Professional electronics

etc...

Cell size references	½ UM3 - ½ R6 - ½ AA
Electrical characteristics	
(typical values relative to cells stored for one year or less at + 30°	°C max.)
Nominal capacity (at 1 mA + 20°C 2.0V cut off. The capacity restored by the cell va according to current drain, temperature and cut off).	1.20 Ah aries
Open circuit voltage (at + 20°C)	3.67V
Nominal voltage (at 0.1 mA + 20°C)	3.6V
Pulse capability: Typically up to 50 mA (50 mA/0.1 second pulses drained every 2 mn at + 20°C from undischarged cells with 10 µA current, yield voltage readings above 3.0 V. The readings may vary to the pulse characteristics, the temperature, and the cell's previo Fitting the cell with a capacitor may be recommended in severe co Consult Saft)	Nase Vaccording Dus history.


to be achieved	rrent permitting 50% of the nominal capacity at + 20°C with 2.0V cut off. ts possible, consult Saft)	15 mA	
Storage	(recommended) (for more severe conditions, consult Saft)	+ 30°C (+ 86°F) max	
Operating temperature range		- 60°C/+ 70°C	
(Operation above ambient T may lead to reduced capacity and lower voltage readings at the beginning of pulses. Consult Saft)		(- 76°F/+158°F)	

Physica	l characteristics
---------	-------------------


Diameter (max)			14.65 mm	(0.58 in)			
Height (max)			24.8 mm	(0.98 in)			
Typical weight			8.9 g (0.3 oz)				
Li metal content			approx. 0.3 g				
Available termination suffix							
	CN, CNR	radial tabs					
	2 PF, 3 PF, 3 PF RP, 4 PF	radial pins					
	CNA (AX)	axial leads					
	FL	flying leadsetc.					




## LS 14250C



Dimensions in mm.



Voltage plateau versus Current and Temperature (at mid-discharge)




Typical discharge profiles at +20°C

### **Storage**

The storage area should be clean, cool (not exceeding + 30°C), dry and ventilated.

### Warning

- · Fire, explosion and severe burn hazard.
- · Do not recharge, short circuit, crush, disassemble, heat above 100°C (212°F), incinerate, or expose contents to water.
- Do not solder directly to the cell.



Restored Capacity versus Current and Temperature (2.0V cut off)

### Saft

12, rue Sadi Carnot 93170 Bagnolet - France Tel +33 1 49 93 19 18 Fax +33 1 49 93 19 69

www.saftbatteries.com

Doc. Nº 31010-2-0904 Published by the Communications Department

Information in this document is subject to change without notice and becomes contractual only after written confirmation by Saft. For more details on primary lithium technologies please refer to Primary Lithium Batteries Selector Guide Doc N° 31048-2-0604

Photo credit: Saft Produced by Arthur Associates

Société anonyme au capital de 31 944 000€ RCS Bobigny B 383 703 873

